# **Description**

The double-sided adhesive tape, based on a glass fibre scrim, is coated on both sides with a specialised rubber adhesive. The adhesive has a high tack and good resistance to aging. It is lined with a double-sided siliconised paper.

### Carrier

Glass fibre scrim

#### Liner

Brown paper, both sides coated with silicone, 90 g/m<sup>2</sup>

#### **Adhesive**

Rubber, transparent

#### Area of use

Because of its high rip-resistance and low elongation the adhesive tape is appropriate for stabilizing rubber profiles and sealing tapes, especially on EPDM-based profiles. Limited consistency in the presence of chemicals inclined to migrate (plasticisers).

## **Technical Data**

Thickness* (adhesive and carrier)	250 micron
Temperature resistance***	-40° C to +100° C
Loop Tack* (FINAT TM 9)	56 N/25 mm
Adhesive power*	after 1 min: 35 N/25 mm
(FINAT TM 1, on stainless steel,	after 20 min: 40 N/25 mm
one side covered with 50 micron polyester film)	after 24 h: 45 N/25 mm
Shear strength*	
(FINAT TM 8, on stainless steel,	at 23° C: 24 h
one side covered with 50 micron polyester film)	at 70° C: 10 min
Temperature resistance* (S.A.F.T.)	70° C
Shelf life**	1 year
Application temperature	> +15° C

<sup>\*</sup> average \*\* in original packaging, at 20°C and 50% relative humidity \*\*\* normal climate of Central Europe

## **IMPORTANT NOTICE**

All ORABOND® products are subject to careful quality control throughout the manufacturing process and are warranted to be of merchantable quality and free from manufacturing defects. Published information concerning ORABOND® products is based upon research which the Company believes to be reliable although such information does not constitute a warranty. Because of the variety of uses of ORABOND® products and the continuing development of new applications, the purchaser should carefully consider the suitability and performance of the product for each intended use, and the purchaser shall assume all risks regarding such use. All specifications are subject to change without prior notice.

ORABOND® is a registered trademark of ORAFOL Europe GmbH.

